


Accessories, Power and Data



## Accessories - Overview

### Power Accessories

Pages [GP3-GP10](#)



Power and Data Tilt Out



15" Power and Data Unit




Dual Sided Power and Data Unit




Single Sided Power and Data Unit

### Telecom Jacks


Pages [GP16-GP19](#)




HDMI Connector




Mini Stereo Jack




Network Jack



Voice Coupler



Data Jack



Dual Powered Charging USB



3.0 USB Connector

### Wire Management Accessories

Page [GP11](#)



Vertical Wire Manager



Wire Management Channel



Wire Management Trough



Wire Management Channel



Cable Management Clip




Velcro Straps

### Tasklights

Pages [GP20-GP21](#)



Tasklights



LED Tasklights




Motion Sensor for Tasklights

### Keyboard Accessories

Pages [GP22-GP23](#)




Articulating Keyboard Tray



Articulating Keyboard Tray



Articulating Keyboard Tray



Articulating Keyboard Tray



Keyboard Tray Mouse Pad

### Monitor Support Arm

Page [GP24-GP25](#)



For Use with Desk and Conference Tables

Description	D	W	H	CTN WT	CU FT	① Model	List Price
 <p><b>Mini Power and Data Tilt Up</b></p> <ul style="list-style-type: none"> <li>fluid one touch tilt up access</li> <li>one power receptacle - 120 volt; 15 amp and one opening for voice/data port</li> <li>data adapter kit provided to accept jacks from most port manufacturers (see page <a href="#">GP15</a>)</li> <li>accepts one Type 3 Telecom Jack (see page <a href="#">GP19</a>)</li> <li>72" power cord with molded plug</li> <li>drop in field installation required</li> <li>cut out provided in top at specified location (see page <a href="#">GP14</a>)</li> <li>UL listed component</li> <li>Black or Silver finish</li> </ul>	4 1/4	5 1/2		6	1	<b>EC10</b>	<b>\$410</b>
 <p><b>Mini Power Tilt Up</b></p> <ul style="list-style-type: none"> <li>fluid one touch tilt up access</li> <li>two power receptacles - 120 volt; 15 amp</li> <li>72" power cord with molded plug</li> <li>drop in field installation required</li> <li>cut out provided in top at specified location (see page <a href="#">GP14</a>)</li> <li>UL listed component</li> <li>Black or Silver finish</li> </ul>	4 1/4	5 1/2		6	1	<b>EC11</b>	<b>\$426</b>
 <p><b>Mini Power and USB Tilt Up</b></p> <ul style="list-style-type: none"> <li>fluid one touch tilt up access</li> <li>one power receptacle - 120 volt; one 20-watt USB-C+A</li> <li>72" power cord with molded plug</li> <li>drop in field installation required</li> <li>cut out provided in top at specified location (see page <a href="#">GP14</a>)</li> <li>UL listed component</li> <li>Black or Silver finish</li> </ul>	4 1/4	5 1/2		6	1	<b>EC12</b>	<b>\$459</b>

To Order, Specify:


① Model number

# Power and Data


## For Use with Conference Tables

ACCESSORIES

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Power and Data Tilt Out	30	9		7	6	EC4	\$3,796




closed




open

- 30" power and data unit
- retractable doors
- standard in silver pearl powder coat
- brush aluminum doors available; specify and add \$1,455 list
- door design allows cords/cables to exit while doors are in closed position
- seven power receptacles
- one dual powered USB
- accepts up to six (6) Type 1 Telecom Plates; additional plate configurations sold separately, see see page [GP15](#)
- unit ships standard with six (6) TCP101, three (3) TCP110 Telecom Plates and three (3) data adapter kits
- power inserts are UL or ETL listed
- two 108" power cords with molded plugs
- cannot be positioned over table support base

Description	D	W	H	CTN WT	CU FT	① Model	List Price
<b>15" Power and Data Unit</b>	15	9		4	2	<b>EC5</b>	<b>\$2,233</b>




closed




open

- retractable doors
- available in silver pearl powder coat
- brush aluminum doors available; specify and add \$936 list
- door design allows cords/cables to exit while doors are in closed position
- three power receptacles
- one dual powered USB
- accepts up to three (3) Type 1 Telecom Plates; additional plate configurations sold separately, see page [GP15](#)
- unit ships standard with three (3) TCP101, two (2) TCP110 Telecom Plates and two (2) data adapter kits
- power inserts are UL or ETL listed
- 108" power cord with molded plug

<b>Dual Sided Power and Data Unit</b>	11 1/2	14 3/4		7	2	<b>EC6</b>	<b>\$1,552</b>
---------------------------------------	--------	--------	--	---	---	------------	----------------



closed



open

- door design allows cords/cables to exit while doors are in closed position
- eight power receptacles, four per side
- accepts up to eight (8) Type 1 Telecom Plates; additional plate configurations sold separately, see page [GP15](#)
- unit ships standard with four (4) TCP101, four (4) TCP110 Telecom Plates and two (2) data adapter kits
- lids lift to open and contain an access slot to allow cords to exit while in use
- available in silver pearl and black texture powder coat
- units are UL listed and CSA certified
- 108" power cord with molded plug

<b>Single Sided Power and Data Unit</b>	5 3/8	9		4	1	<b>EC7</b>	<b>\$603</b>
---	-------	---	--	---	---	------------	--------------




- two power receptacles
- accepts one (1) Type 1 Telecom Plates; additional plate configurations sold separately, see page [GP15](#)
- unit ships standard with one (1) TCP101, one (1) TCP110 Telecom Plate and one (1) data adapter kit
- additionally accepts up to (4) Type 2 Telecom Jacks
- lid lifts to open and contain an access slot to allow cords to exit while in use
- available in silver pearl or black textured powder coat finish
- units are UL listed and CSA certified
- 108" power cord with molded plug
- one under surface power receptacle

**To Order, Specify:**


- ① Model number

Description	D	W	H	CTN WT	CU FT	① Model	List Price
<b>Single Sided Power and Data Unit</b>	8 3/8	4		3	1	<b>EC9</b>	<b>\$546</b>




- two power receptacles - 120 volt, 15 amp and two openings for voice/data jacks
- data adapter kit provided to accept jacks from most port manufacturers (see page [GP15](#))
- accepts up to two Type 3 Telecom Jacks (see page [GP19](#))
- push to open pop up door
- clear anodized aluminum
- 72" power cord with molded plug
- UL listed

<b>Dual Power and Data Tilt Up</b>	8	8 3/8		16	1	<b>EC13</b>	<b>\$1,084</b>
------------------------------------	---	-------	--	----	---	-------------	----------------



- fluid one touch tilt up access
- back to back tilt sections
- four power receptacles (2 per side) - 120 volt; 15 amp with four openings for voice/data jacks (2 per side)
- data adapter kit provided to accept jacks from most port manufacturers
- accepts up to four Type 3 Telecom Jacks (see page [GP19](#))
- two 72" power cord with molded plug
- drop in field installation required
- cut out provided in top at specified location (see page [GP14](#))
- UL listed component
- available in Silver (S)


<b>Edge Mount Electrical</b>	3	10		16	1	<b>EC15</b>	<b>\$509</b>
------------------------------	---	----	--	----	---	-------------	--------------



- clamp mounts to the edge of the worksurface - requiring minimum 2" surface overhang
- three power receptacles - 120 volt; 15 amp with two voice/data ports
- data adapter kit provided to accept jacks from most port manufacturers
- accepts up to two Type 3 Telecom Jacks (see page [GP19](#))
- 72" power cord with molded plug - exits back of unit
- UL listed component
- clear anodized aluminum


Description	D	W	H	CTN WT	CU FT	① Model	List Price
-------------	---	---	---	-----------	----------	---------	------------

<b>Moire Power Unit</b>	3 3/8	3 3/8	2	5	1	<b>EC23</b>	<b>\$516</b>
-------------------------	-------	-------	---	---	---	-------------	--------------




- three power 110 outlets
- one 20-watt USB-C+A
- 72" 3-prong - 15amp plug power feed
- 15amp/110 volt
- specify Black (BK) or White (WH)

<b>Node Power Unit</b>	3 3/8	3 3/8	3/8	5	1	<b>EC24</b>	<b>\$412</b>
------------------------	-------	-------	-----	---	---	-------------	--------------



- one power
- one 20-watt USB-C+A, 72" cord
- color: black or white

<b>Ellora Power Unit</b>	5 1/2	8 1/2	3 1/2	5	1	<b>EC25</b>	<b>\$790</b>
--------------------------	-------	-------	-------	---	---	-------------	--------------




- used in Media Table or Media Credenza
- two power, one 20-watt USB-C+A & one opening for voice/data port, 72" power cord
- adapter kit provided to accept jacks for most port manufactures
- accepts one Type 3 telecom jack
- wire pass-through
- anodized aluminum

**To Order, Specify:**


- ① Model number

Description	D	W	H	CTN WT	CU FT	① Model	List Price
<b>Worksurface Power</b>	2 5/8	6 3/8	3	3	1	<b>EC26</b>	<b>\$486</b>




- two (2) AC 15 amp 120 volt power outlets
- one (1) 2.4A reversible USB-A charging port & one (1) 60-watt USB-C power delivery port
- 120" power cord with molded plug
- UL Listed
- meets UL spill requirements
- White (W) or Black (B) finish available, specify when ordering

<b>Under Surface Power</b>	3	6 1/2	1 13/16	2	1	<b>EC27</b>	<b>\$419</b>
----------------------------	---	-------	---------	---	---	-------------	--------------






- two (2) AC 15 amp 120 volt power outlets
- one (1) 2.4A reversible USB-A charging port & one (1) 60-watt USB-C power delivery port
- 120" power cord with molded plug
- UL Listed
- White (W) or Black (B) finish available, specify when ordering

<b>Edge Mount Power</b>	3 1/2	5 1/2	7 1/2	3	1	<b>EC28</b>	<b>\$429</b>
-------------------------	-------	-------	-------	---	---	-------------	--------------




- two (2) AC 15 amp 120 volt power outlets
- one (1) 2.4A reversible USB-A charging port & one (1) 60-watt USB-C power delivery port
- 120" power cord with molded plug
- UL Listed
- White (W) or Black (B) finish available, specify when ordering

Description	D	W	H	CTN WT	CU FT	① Model	List Price
<b>Power Center - Under Mount</b>  <ul style="list-style-type: none"> <li>· one (1) AC 15 amp 120 volt power outlets</li> <li>· one (1) 2.4A reversible USB-A charging port &amp; one (1) 60-watt USB-C power delivery port</li> <li>· 10' cord</li> <li>· frame mounted</li> <li>· overall mounting bracket tabs: 5"w</li> <li>· UL listed</li> <li>· specify black or white - cord color will match unit</li> <li>· optional graphite fabric cord available, specify and add \$169 list</li> </ul>	2 3/4	4	2 5/16			<b>EC30</b>	<b>\$408</b>
<b>Wireless Charging Unit</b>  <ul style="list-style-type: none"> <li>· wireless charging for use with Qi enabled devices</li> <li>· 72" power cord</li> <li>· black</li> <li>· UL Listed</li> <li>· CE/FCC certified</li> </ul>	3 1/2	3 1/2	1	3	1	<b>EC33</b>	<b>\$362</b>
<b>Under Surface Convenience Power Unit</b>  <ul style="list-style-type: none"> <li>· three outlets</li> <li>· 108" power cord</li> <li>· black</li> <li>· ETL Listed for US</li> </ul>	3 1/8	7 1/8	2 1/8	3	1	<b>EC34</b>	<b>\$316</b>

**To Order, Specify:**


- ① Model number

Description	D	W	H	CTN WT	CU FT	① Model	List Price
<b>2"dia. Grommet</b>	2	2	7/8			<b>GP02FIG</b>	<b>\$36</b>




- use in panels 3/4" thick or greater
- plastic sleeve and removable lid
- matte black (MBK)
- interior 1 1/2" dia.
- recommended 1 3/4" dia. cut out for installation in field

<b>3"dia. Grommet</b>	3	3	3/4			<b>GP03FIG</b>	<b>\$36</b>
-----------------------	---	---	-----	--	--	----------------	-------------




- use in panels 3/4" thick or greater
- plastic sleeve and removable lid
- matte black (MBK)
- interior 2 1/4" dia.
- recommended 2 5/8" dia. cut out for installation in field

<b>Power Strip</b>	1 1/2	1 7/8	8			<b>GP9ACP1-0212</b>	<b>\$100</b>
--------------------	-------	-------	---	--	--	---------------------	--------------





- includes switch
- power surge with 10' cord
- four electrical outlets

<b>Wire Management Trays</b>	7 1/2	45				<b>GP9WMT1-0845</b>	<b>\$291</b>
	7 1/2	35				<b>GP9WMT1-0835</b>	<b>\$245</b>
	7 1/2	25				<b>GP9WMT1-0825</b>	<b>\$199</b>





- silver powder-coated finish
- four hanging brackets (CI2C00)

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Vertical Wire Manager 	1 1/2	1 1/2	45	4	1	45VWM	\$141
						<ul style="list-style-type: none"> <li>flexible, vertebrae-style construction</li> <li>field installed to bottom of worksurface with screws provided</li> <li>length can be adjusted by removing individual discs as required</li> <li>wire manager is 1 1/2" diameter</li> <li>weighted base is 4" diameter</li> <li>black plastic</li> </ul>	
Wire Management Channel 	1/2	36	1	4		36WC	\$86
	1/2	24	1	3		24WC	\$77
	1/2	12	1	2		12WC	\$67
						<ul style="list-style-type: none"> <li>available in 12", 24" and 36" increments</li> <li>field installed with adhesive tape provided</li> <li>black</li> </ul>	
Wire Management Trough 	2 1/2	36	2 1/2	3		36WCT	\$164
	2 1/2	24	2 1/2	3		24WCT	\$149
	2 1/2	12	2 1/2	2		12WCT	\$128
						<ul style="list-style-type: none"> <li>available in 12", 24" and 36" increments</li> <li>field installed with screws provided</li> <li>black</li> </ul>	
Wire Management Trough 	1 1/8	36	2 3/8	1		36WJC	\$70
	1 1/8	24	2 3/8	1		24WJC	\$51
	1 1/8	12	2 3/8	1		12WJC	\$28
						<ul style="list-style-type: none"> <li>available in 12", 24" and 36" increments</li> <li>field installed with adhesive tape provided</li> <li>mounts to edge of surface top</li> <li>black</li> </ul>	
Cable Management Clip 	2 5/8	3 3/4	1 5/8	1		0304CMC	\$59
						<ul style="list-style-type: none"> <li>four retention loops</li> <li>field installed with screws provided</li> <li>mounts under surface</li> <li>black</li> </ul>	
Wire Management Velcro Straps 	1 3/4	3 1/2	1/8	1		04WVS	\$61
						<ul style="list-style-type: none"> <li>set of four</li> <li>field installed with adhesive tape provided</li> <li>mounts under surface or on vertical panels</li> <li>black</li> </ul>	


**To Order, Specify:**

① Model number






Description	D	W	H	CTN WT	CU FT	① Model	List Price
<b>Jumper</b> 	144			4	1	EC4T-144JK	\$271
	138			4	1	EC4T-138JK	\$264
	132			4	1	EC4T-132JK	\$257
	126			4	1	EC4T-126JK	\$253
	120			4	1	EC4T-120JK	\$247
	114			4	1	EC4T-114JK	\$243
	108			4	1	EC4T-108JK	\$240
	102			4	1	EC4T-102JK	\$232
	96			3	1	EC4T-96JK	\$227
	90			3	1	EC4T-90JK	\$221
	84			3	1	EC4T-84JK	\$215
	78			3	1	EC4T-78JK	\$208
	72			3	1	EC4T-72JK	\$204
	66			3	1	EC4T-66JK	\$195
	60			3	1	EC4T-60JK	\$184
	54			3	1	EC4T-54JK	\$178
	48			2	1	EC4T-48JK	\$171
	42			2	1	EC4T-42JK	\$162
	36			2	1	EC4T-36JK	\$158
	30			2	1	EC4T-30JK	\$152
24			2	1	EC4T-24JK	\$148	
18			2	1	EC4T-18JK	\$147	

<b>Three Prong Power Infeed - Flex Metallic Conduit</b> 	120			4	1	EC4T-120APE	\$409
	108			4	1	EC4T-108APE	\$400
	96			3	1	EC4T-96APE	\$388
	84			3	1	EC4T-84APE	\$385
	72			3	1	EC4T-72APE	\$327
	60			3	1	EC4T-60APE	\$278
	48			2	1	EC4T-48APE	\$271

- single circuit infeed
- two foot rubber cord transitions to metal conduit


<b>Hardwire Power Infeed - Flex Metallic Conduit</b> 	144			4	1	EC4T-144HPE	\$253
	132			4	1	EC4T-132HPE	\$242
	120			4	1	EC4T-120HPE	\$234
	108			4	1	EC4T-108HPE	\$227
	96			3	1	EC4T-96HPE	\$213
	84			3	1	EC4T-84HPE	\$202
72			3	1	EC4T-72HPE	\$193	

- single or double circuit infeed
- 4 wire 2 circuit system
- 13 duplexes available per each circuit


Description	D	W	H	CTN WT	CU FT	① Model	List Price
Conduit Clamp  <ul style="list-style-type: none"> <li>· includes screw</li> </ul>				1	1	EC4T-CLAMP	\$15
Duplex Receptacle Kit Circuit 1  <ul style="list-style-type: none"> <li>· used in single circuit and multi-circuit applications</li> <li>· vertical and horizontal mounting brackets included</li> </ul>				1	1	EC4T-DUP1K	\$140
Duplex Receptacle Kit Circuit 2  <ul style="list-style-type: none"> <li>· used in multi-circuit applications</li> <li>· vertical and horizontal mounting brackets included</li> </ul>				1	1	EC4T-DUP2K	\$140
Receptacle to Receptacle Connector 				1	1	EC4T-R2R	\$85
H Block Connector Kit  <ul style="list-style-type: none"> <li>· accepts one power infeed and connects up to three jumpers</li> <li>· mounting bracket included</li> </ul>				1	1	EC4T-4HCON	\$93
Quick Disconnct  <ul style="list-style-type: none"> <li>· hardwire connection (4 wire), mounts to wall</li> <li>· accommodates single or multi-circuit</li> <li>· connects directly to jumper in place of power infeed</li> </ul>	1	2 3/4	4 5/8	1	1	EC4T-4QD	\$185

**To Order, Specify:**

① Model number

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Perimeter Under-Mount Power - (1) 110 Outlet (1) USB-A&C 						ECPA-0610	\$5,968
						ECPA-0508	\$4,541
						ECPA-0406	\$3,550
						ECPA-0306	\$3,550
						ECPA-0104	\$2,552
						ECPA-0204	\$2,543
						ECPA-0804	\$2,479
						ECPA-0702	\$1,499

- power infeed(s) with three-prong 15A, 120" cord
- jumpers included
- each power unit includes (1) AC 15 amp 120 volt power outlet, (1) 2.4A reversible USB-A charging port & (1) 60 watt USB-C power delivery port
- black finish
- ECPA-0610 includes 10 power units and accomodates 216" and 240" table with 2 power infeeds
- ECPA-0508 includes 8 power units and accomodates 168" and 192" tables
- ECPA-0406 includes 6 power units and accomodates 144" tables
- ECPA-0306 includes 6 power units and accomodates 108", 120", and 132" tables
- ECPA-0104 includes 4 power units and accomodates 72" and 84" tables
- ECPA-0204 includes 4 power units and accomodates 96" tables
- ECPA-0804 includes 4 power units and accomodates square tables
- ECPA-0702 includes 2 power units and accomodates round tables


Description	D	W	H	CTN WT	CU FT	❶ Model	List Price
Perimeter Under-Mount Power - 110 Outlets  						ECPP-0610	\$3,709
						ECPP-0508	\$2,746
						ECPP-0406	\$2,219
						ECPP-0306	\$2,219
						ECPP-0104	\$1,684
						ECPP-0204	\$1,674
						ECPP-0804	\$1,590
						ECPP-0702	\$1,087

- power infeed(s) with three-prong 15A, 120" cord
- jumpers included
- each power unit includes (2) AC 15 amp 120 volt power outlets
- black finish
- ECPP-0610 includes 10 duplex power units and accomodates 216" and 240" tables with 2 power infeeds
- ECPP-0508 includes 8 duplex power units and accomodates 168" and 192" tables
- ECPP-0406 includes 6 duplex power units and accomodates 192" tables
- ECPP-0306 includes 6 duplex power units and accomodates 108", 120", and 132" tables
- ECPP-0104 includes 4 duplex power units and accomodates 72" and 84" tables
- ECPP-0204 includes 4 duplex power units and accomodates 96" tables
- ECPP-0804 includes 4 duplex power units and accomodates square tables
- ECPP-0702 includes 2 duplex power units and accomodates round tables

To Order, Specify:

❶ Model number


**Standard Power and Data Locations for Casegoods:**



- Specify - Location when ordering on desk, return, computer corner, bridge and credenza - please provide drawing.
- Computer corner units - power/data replaces grommet.
- Standard power and data unit locations are indicated from user side of desk, return, computer corner bridge or credenza.

**NOTE:** Verify fit of data jack in adapter before ordering large quantities as manufacturer designs may change without notice

**Standard Power and Data Locations for Tables and Conference Units:**




- Verify fit of jack in adapter before ordering large quantities as manufacturer designs may change without notice.
- Installation of Power and Data units on a seam of multi piece tops should be avoided when possible.
- Specify location when ordering conference tops or buffet credenza.
- Standard power and data units are indicated from the side of conference tops and user side of buffet credenza.

## Data Adapter Applications

Data adapter kits ship with each power and data unit.

Adapter plates are marked on the back with letter designators to indicate the data jack manufacturer, series and style. Websites are listed below for quick reference to verify data jack series or style.




*Included with EC9, EC10, EC13, EC15, TCP110 and CC9CNE1-0708.*







**NOTE:** Verify fit of data jack in adapter before ordering large quantities as manufacturer designs may change without notice.






Adapter	Manufacturer	Website
AA	Uniprise/Systimax/Avaya	<a href="http://www.unipriseresolutions.com">www.unipriseresolutions.com</a>
BB	Tyco SL and 100 Connect Series Modular Jacks	<a href="http://www.ampconnect.com">www.ampconnect.com</a>
BB	Siemon Keystone Style	<a href="http://www.siemon.com">www.siemon.com</a>
BB	Allen Tel Versa Tap Series	<a href="http://www.allentel.com">www.allentel.com</a>
BB	Leviton Quick Port® Series	<a href="http://www.leviton.com">www.leviton.com</a>
BB	Nordx Keystone Style	<a href="http://www.nordx.com">www.nordx.com</a>
CC	Tyco SL Coupler Series	<a href="http://www.ampconnect.com">www.ampconnect.com</a>
CC	Krone 6000 Series	<a href="http://www.adc.com">www.adc.com</a>
CC	Hubbell Xcelerator™ Keystone Series	<a href="http://www.hubbell.com">www.hubbell.com</a>
DD	Blank (no coupler/jack)	
EE	Ortronics TracJack Series	<a href="http://www.ortronics.com">www.ortronics.com</a>
FF	Panduit Mini-Com Series	<a href="http://www.panduit.com">www.panduit.com</a>
GG	Microphone jack/3-pin XLR, solder type only	
HH	Video Monitor jack/DB-15, panel mount solder style	

The TCP110 Type 1 Data plate comes with the adapter kit to allow installation of data jacks listed above. The TCP110 can be installed in the EC4, EC5, EC6, EC7, EC36, EC37, EC38 and EC57.



# Type 1 Telecom Plates/Jacks



Description	D	W	H	CTN WT	CU FT	① Model	List Price
<b>Data Plate - Blank Cap</b>  <ul style="list-style-type: none"> <li>· for use in EC4, EC5, EC6, EC7, EC36, EC37, EC38 and EC57</li> </ul>		1 3/4	3 1/8			<b>TCP101</b>	<b>\$18</b>
<b>Data Plate - Three Cord Bushings</b>  <ul style="list-style-type: none"> <li>· for use in EC4, EC5, EC6, EC7, EC36, EC37, EC38 and EC57</li> </ul>		1 3/4	3 1/8			<b>TCP102</b>	<b>\$83</b>
<b>Data Plate - Two Jacks</b>  <ul style="list-style-type: none"> <li>· one RJ11 Cat3 Jack</li> <li>· one RJ-45 Cat6 Jack</li> <li>· for use in EC4, EC5, EC6, EC7, EC36, EC37, EC38 and EC57</li> </ul>		1 3/4	3 1/8			<b>TCP103</b>	<b>\$147</b>
<b>Data Plate - One Jack</b>  <ul style="list-style-type: none"> <li>· one RJ-45 Cat6 jack</li> <li>· for use in EC4, EC5, EC6, EC7, EC36, EC37, EC38 and EC57</li> </ul>		1 3/4	3 1/8			<b>TCP104</b>	<b>\$104</b>
<b>Data Plate - Two Jacks</b>  <ul style="list-style-type: none"> <li>· two RJ-45 Cat6 jacks</li> <li>· for use in EC4, EC5, EC6, EC7, EC36, EC37, EC38 and EC57</li> </ul>		1 3/4	3 1/8			<b>TCP105</b>	<b>\$175</b>
<b>Data Plate - Three Jacks</b>  <ul style="list-style-type: none"> <li>· three RJ-45 Cat6 jacks</li> <li>· for use in EC4, EC5, EC6, EC7, EC36, EC37, EC38 and EC57</li> </ul>		1 3/4	3 1/8			<b>TCP106</b>	<b>\$246</b>
<b>Data Plate - HDMI</b>  <ul style="list-style-type: none"> <li>· one HDMI female to female with 36" cord</li> <li>· for use in EC4, EC5, EC6, EC7, EC36, EC37, EC38 and EC57</li> </ul>		1 3/4	3 1/8			<b>TCP107</b>	<b>\$232</b>








Description	D	W	H	CTN WT	CU FT	① Model	List Price
<b>Data Plate - VGA and Mini-Stereo</b>  <ul style="list-style-type: none"> <li>· one VGA female to female with 72" cord</li> <li>· one Mini-Stereo Inline</li> <li>· for use in EC4, EC5, EC6, EC7, EC36, EC37, EC38 and EC57</li> </ul>		1 ¾	3 ⅛			<b>TCP108</b>	<b>\$225</b>
<b>Data Plate - VGA, HDMI and Mini-Stereo</b>  <ul style="list-style-type: none"> <li>· one VGA female to female with 72" cord</li> <li>· one HDMI female to female with 36" cord</li> <li>· one Mini-Stereo Inline</li> <li>· for use in EC4, EC5, EC6, EC7, EC36, EC37, EC38 and EC57</li> </ul>		1 ¾	3 ⅛			<b>TCP109</b>	<b>\$388</b>
<b>Data Plate - Two Open Data Ports</b>  <ul style="list-style-type: none"> <li>· used with two Type 3 Telecom Jacks; see page GP19</li> <li>· for use in EC4, EC5, EC6, EC7, EC36, EC37, EC38 and EC57</li> </ul>		1 ¾	3 ⅛			<b>TCP110</b>	<b>\$18</b>
<b>Data Plate - USB 3.0</b>  <ul style="list-style-type: none"> <li>· one USB 3.0 Type A/A with 36" patch cord with male end</li> <li>· for use in EC4, EC5, EC6, EC7, EC36, EC37, EC38 and EC57</li> <li>· data transfer port</li> <li>· can become powered USB charging port with addition of TCP111-POW power supply</li> </ul>		1 ¾	3 ⅛			<b>TCP111</b>	<b>\$255</b>
<b>USB Charging - Power Supply</b>  <ul style="list-style-type: none"> <li>· USB power supply</li> <li>· for use with TCP111</li> <li>· converts TCP111 into USB charging port</li> <li>· power source under table or from building required to power unit</li> </ul>						<b>TCP111-POW</b>	<b>\$111</b>

**To Order, Specify:**

- ① Model number

# Type 2 Telecom Jacks

Description	D	W	H	CTN WT	CU FT	① Model	List Price
<b>Phone Jack</b>  <ul style="list-style-type: none"> <li>· RJ-11 phone jack</li> <li>· for use in EC7</li> </ul>						<b>TCP201</b>	<b>\$73</b>
<b>Data Jack</b>  <ul style="list-style-type: none"> <li>· CAT6-RJ45 data jack</li> <li>· for use in EC7</li> </ul>						<b>TCP202</b>	<b>\$96</b>


Description	D	W	H	CTN WT	CU FT	① Model	List Price
<b>HDMI Connector</b>  <p>female female</p> <ul style="list-style-type: none"> <li>· HDMI coupler</li> <li>· 18" cord</li> <li>· female to female connection</li> <li>· for use in EC9, EC10, EC13, EC15</li> <li>· uses data adapter kit CCC adapter plate</li> </ul>						<b>TCP301</b>	<b>\$119</b>
<b>Mini Stereo Jack</b> 						<b>TCP302</b>	<b>\$61</b>
<b>Network Jack</b>  <ul style="list-style-type: none"> <li>· one RJ45 CAT6 coupler female to female connection with 10' cord</li> <li>· uses data adapter kit FFF adapter plate</li> <li>· black</li> <li>· for use in EC9, EC10, EC13, EC15</li> </ul>						<b>TCP303</b>	<b>\$110</b>
<b>Voice Coupler</b>  <ul style="list-style-type: none"> <li>· AMP Category 3, RJ-11</li> <li>· 6-Pin</li> <li>· connects to standard phone cord</li> <li>· for use in EC9, EC10, EC13, EC15</li> <li>· uses data adapter kit CCC adapter plate</li> </ul>						<b>TCP304</b>	<b>\$45</b>
<b>Data Jack - VGA 15 Pin</b>  <p>male female</p> <ul style="list-style-type: none"> <li>· 120" M/F cable - female-to-male connection</li> <li>· 15 pin connections</li> <li>· provides electronic device to remove display connection</li> <li>· uses data adapter kit HHH adapter plate</li> </ul>						<b>TCP305</b>	<b>\$147</b>
<b>Dual Powered USB Charging</b>  <ul style="list-style-type: none"> <li>· two (2) USB-A connections for USB powered devices or charging mobile electronics</li> <li>· 2000mA (2 amp) charging power per USB port</li> <li>· black or white option</li> <li>· for use in EC9, EC10, EC13, EC15</li> <li>· installs directly into unit without need of data adapter kit</li> <li>· 72" cord</li> </ul>						<b>TCP306</b>	<b>\$188</b>
<b>Data Jack - USB 3.0</b>  <p>female male</p> <ul style="list-style-type: none"> <li>· USB 3.0 data jack with 10' cord and male plug</li> <li>· for use in EC9, EC10, EC13, EC15</li> <li>· data transfer port - no USB charging capability</li> <li>· data transfer speed up to 5gbs/sec</li> <li>· uses data adapter kit CCC adapter plate</li> </ul>						<b>TCP307</b>	<b>\$102</b>

To Order, Specify:

① Model number


Description	D	W	H	CTN WT	CU FT	① Model	List Price
-------------	---	---	---	-----------	----------	---------	------------

<b>48" w Tasklight</b>	4 ½	48	1 ½	6	1	<b>48T5L</b>	\$376
------------------------	-----	----	-----	---	---	--------------	-------




- use with overhead cabinets 60" wide and larger
- uses slim energy-efficient T5 - 3500k lamp (included)
- two position on - off switch
- prismatic lens with electronic ballast
- ETL listed component
- factory installation optional (no additional charge); please specify unit where light is to be installed

<b>24" w Tasklight</b>	4 ½	24	1 ½	4	1	<b>24T5L</b>	\$349
------------------------	-----	----	-----	---	---	--------------	-------



- use with overhead cabinets 30" wide and larger
- uses slim energy-efficient T5 - 3500k lamp (included)
- two position on - off switch
- prismatic lens with electronic ballast
- ETL listed component
- factory installation optional (no additional charge); please specify unit where light is to be installed


<b>LED Tasklight</b>	½	60	¾	3	1	<b>TL60LEDF</b>	\$362
	½	45	¾	3	1	<b>TL45LEDF</b>	\$311
	½	39	¾	3	1	<b>TL39LEDF</b>	\$276
	½	27	¾	3	1	<b>TL27LEDF</b>	\$241




- low profile LED tasklight
- 4000K cool white
- touch on/off switch
- touch and hold dimming
- 13ft cord
- recommended tasklight length for each cabinet size; see chart below

### LED Tasklights

Tasklights are available for overhead cabinets. Specify separately. Grommet holes for wire management are 5/8" diameter for the LED tasklight. Refer to the chart to the right for the recommended tasklight length according to overhead cabinet width.






Overhead Width	Tasklight Model Number	Tasklight Length
96"	TL60LEDF	60"
90"	TL60LEDF	60"
84"	TL45LEDF	45"
78"	TL45LEDF	45"
72"	TL45LEDF	45"
66"	TL45LEDF	45"
60"	TL39LEDF	39"
54"	TL27LEDF	27"
48"	TL27LEDF	27"
42"	TL27LEDF	27"
36"	TL27LEDF	27"
30"	TL27LEDF	27"

Description	D	W	H	CTN WT	CU FT	① Model	List Price
<b>31" w LED Starter Tasklight</b>  <ul style="list-style-type: none"> <li>use with overhead cabinets 42" wide and larger</li> <li>slim energy-efficient stand alone or starter LED lamp</li> <li>soft touch switching with instant on to fade way off</li> <li>infinite dimming with last state memory (dimming range 100% to 15%)</li> <li>automatic time off after 10 hours</li> <li>includes power supply</li> <li>ETL listed component</li> <li>GSA compliant</li> <li>factory installation optional (no additional charge); please specify unit where light is to be installed</li> </ul>	2	31	½	4	1	<b>TL31LED-S</b>	<b>\$563</b>
<b>31" w LED Linking Adder Tasklight</b>  <ul style="list-style-type: none"> <li>use with overhead cabinets 42" wide and larger</li> <li>slim energy-efficient LED lamp for linking to a starter tasklight</li> <li>string may contain 1 starter with up to five adders</li> <li>soft touch switching with instant on to fade way off</li> <li>infinite dimming with last state memory (dimming range 100% to 15%)</li> <li>automatic time off after 10 hours</li> <li>ETL listed component</li> <li>GSA compliant</li> <li>factory installation optional (no additional charge); please specify unit where light is to be installed</li> </ul>	2	31	½	4	1	<b>TL31LED-A</b>	<b>\$440</b>
<b>17" w LED Starter Tasklight</b>  <ul style="list-style-type: none"> <li>use with overhead cabinets 30" wide and larger</li> <li>slim energy-efficient stand alone or starter LED lamp</li> <li>soft touch switching with instant on to fade way off</li> <li>infinite dimming with last state memory (dimming range 100% to 15%)</li> <li>automatic time off after 10 hours</li> <li>includes power supply</li> <li>ETL listed component</li> <li>GSA compliant</li> <li>factory installation optional (no additional charge); please specify unit where light is to be installed</li> </ul>	2	17	½	2	1	<b>TL17LED-S</b>	<b>\$435</b>
<b>17" w LED Linking Adder Tasklight</b>  <ul style="list-style-type: none"> <li>use with overhead cabinets 30" wide and larger</li> <li>slim energy-efficient LED lamp for linking to a starter tasklight</li> <li>string may contain 1 starter with up to five adders</li> <li>soft touch switching with instant on to fade way off</li> <li>infinite dimming with last state memory (dimming range 100% to 15%)</li> <li>automatic time off after 10 hours</li> <li>ETL listed component</li> <li>GSA compliant</li> <li>factory installation optional (no additional charge); please specify unit where light is to be installed</li> </ul>	2	17	½	2	1	<b>TL17LED-A</b>	<b>\$375</b>
<b>Motion Sensor for Tasklights</b>  <ul style="list-style-type: none"> <li>occupancy sensor for LED tasklights</li> <li>integrates with TL31LED or TL17LED</li> <li>shuts off after 30 minutes of inactivity</li> <li>connects to end of light fixture (adds 3" to length of fixture)</li> <li>one sensor controls starter and connected adders</li> </ul>	2	3	½	1	1	<b>TL03-OCPS</b>	<b>\$481</b>

**To Order, Specify:**

① Model number

Description	D	W	H	CTN WT	CU FT	① Model	List Price
 <p>Articulating Keyboard Tray</p> <ul style="list-style-type: none"> <li>· articulating keyboard tray - black color</li> <li>· mouse tray included</li> <li>· 16" glide track</li> <li>· easy one-handed adjustment; vertical range of motion of 5.1" below glide track</li> <li>· tray tilt range +10 degree to -20 degree</li> <li>· unit swivels side-to-side</li> <li>· tray size is 19.4" wide x 9.4" deep</li> <li>· tray includes palm rest</li> <li>· tray is made with recyclable high density polyethylene</li> </ul>	13	24	7	14	2	AK2	\$558
 <p>Articulating Keyboard Tray</p> <ul style="list-style-type: none"> <li>· articulating keyboard tray - black color</li> <li>· mouse tray included</li> <li>· 17" glide track</li> <li>· easy one-handed adjustment; vertical range of motion of 8.9"; (6.5" below the glide track and an additional 2.38" above)</li> <li>· tray tilt range +10 degree to -20 degree</li> <li>· unit swivels side-to-side</li> <li>· tray size is 19.4" wide x 9.4" deep</li> <li>· tray includes palm rest</li> <li>· tray is made with recyclable high density polyethylene</li> </ul>	13	24	7	12	2	AK3	\$590
 <p>Articulating Keyboard Tray</p> <ul style="list-style-type: none"> <li>· trackless articulating keyboard tray - black color</li> <li>· mouse tray included</li> <li>· use when depth under work surface for mounting is limited; minimum of 9.38" depth recommended</li> <li>· easy one-handed adjustment; vertical range of motion of 5.73</li> <li>· tray tilt range +10 degree to -15 degree</li> <li>· unit swivels side-to-side</li> <li>· tray size is 19.4" wide x 9.4" deep</li> <li>· tray includes palm rest</li> <li>· tray is made with recyclable high density polyethylene</li> </ul>	11	23	3	11	2	AK5	\$575
 <p>Articulating Keyboard Tray</p> <ul style="list-style-type: none"> <li>· articulating keyboard tray - wood finish tray with black mechanism</li> <li>· recommended for spaces with 24" clearance side to side</li> <li>· mouse tray purchased separately - specify MT4</li> <li>· 17" glide track</li> <li>· easy one-handed adjustment; vertical range of motion of 8.9"; (6.5" below the glide track and an additional 2.38" above)</li> <li>· tray tilt range +10 degree to -20 degree</li> <li>· unit swivels side-to-side</li> <li>· tray size is 21.75" wide x 11" deep</li> <li>· wood tray requires finish selection; see component finishes for the selection</li> </ul>	14	23	7	15	2	AK4	\$622
 <p>Keyboard Tray Mouse Pad</p> <ul style="list-style-type: none"> <li>· adjusts for user comfort</li> <li>· 8" x 8"</li> <li>· for left or right hand operation</li> <li>· compatible with AK4 Keyboard Drawer only</li> </ul>	8	8	1/4	2		MT4	\$210

Description	D	W	H	CTN WT	CU FT	① Model	List Price
-------------	---	---	---	-----------	----------	---------	------------

Wide Pencil Drawer	19 1/4	22	1 7/8	5	1	GP2219CD	\$135
--------------------	--------	----	-------	---	---	----------	-------



- plastic

Pencil Drawer	19 1/4	16 1/8	2 3/8	4	1	GP1619CD	\$124
---------------	--------	--------	-------	---	---	----------	-------



- plastic

Center Nook Drawer	8 1/4	15 1/4	2	2	1	GP1509CD	\$119
--------------------	-------	--------	---	---	---	----------	-------



- plastic

Angled Front Center Drawer	17 5/8	24 1/2	2 1/2	20	1	GP9CDRC-1524	\$439
----------------------------	--------	--------	-------	----	---	--------------	-------



- wood drawer
- non-locking
- not available in artisan

To Order, Specify:

- ① Model number

## Conference


### Flat Screen Mount - Universal Bracket (standard with TV, DTV and FSTV model)




Peerless® ST650 universal tilting flat screen mount is supplied with the FSTV Flat Screen Mounting Frame.

- For use with 32"-50" screens
- Maximum weight 175 lbs. (79kg)
- Tilt 15° forward and -5° backward angles
- Mounting pattern allows up to 6" of vertical adjustment

NOTE: To verify TV interface to universal bracket

1. Access website - [www.peerlessmounts.com](http://www.peerlessmounts.com)
2. Locate "Mount Finder™" on home page side navigation bar
3. Enter make and/or model of your flat screen
4. Verify model: ST650 is listed as available model



Description	D	W	H	CTN WT	CU FT	① Model	List Price
<b>Monitor Arm - Edge Mount</b>  <ul style="list-style-type: none"> <li>· mounts to edge of worksurface</li> <li>· silver or black</li> </ul>				9	1	<b>GP5901MA</b>	<b>\$738</b>
<b>Dual Monitor Arm - Edge Mount</b>  <ul style="list-style-type: none"> <li>· mounts to edge of worksurface</li> <li>· supports two monitors</li> <li>· silver or black</li> </ul>				18	2	<b>GP5902MA</b>	<b>\$1,329</b>
<b>Monitor Arm</b>  <ul style="list-style-type: none"> <li>· mounts through hole in worksurface</li> <li>· field drilled and field installed</li> <li>· supports up to 12 lbs and/or 27" monitor</li> <li>· silver or black</li> </ul>				9	1	<b>GP5905MA</b>	<b>\$823</b>

**To Order, Specify:**

① Model number